

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3001	(control\$4 or monitor\$3 or analyz\$3 ) with (schemas or xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11: 5
S2	205	(control\$4 or monitor\$3 or analyz\$3 ) with (schemas)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:15
S3	67	S2 and xml and template\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:22
S4	5	S3 and ((search\$3 or quer\$3) near (assemble\$3 or execute\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:22
S5	0	S4 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:22
S6	6	S3 and ((search\$3 or quer\$3) with (assemble\$3 or execute\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 13:04
S7	0	S6 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:21
S8	739	S1 and xml and template\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:22

S9	51	S8 and ((search\$3 or quer\$3) near (assemble\$3 or execute\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 12:34
S10	13	S9 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 12:35
S11	25	((quer\$3 or search\$3) near (control\$4 or monitor\$3 or analyz\$4)) and (quer\$3 near (form or template or xml)) and (xml or schema) and (quer\$ with (execute\$4 or assembl\$3)) and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 12:08
S12	5	S11 and annotation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:35
S13	8	S11 and browser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:36
S14	4	S11 and browser and configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:36
S15	4	S11 and browser and configurat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:39
S16	3	S11 and browser and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 11:39

S17	5	((quer\$3 or search\$3) near (control\$4 or monitor\$3 or analyz\$4)) and (quer\$3 near (form or template or xml)) and (xml or schema) and (quer\$ with (execute\$4 or assembl\$3)) and @ad<"20010327" and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 12:08
S18	125	S1 and ((search\$3 or quer\$3) near (assemble\$3 or execute\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 12:34
S19	29	S18 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 13:05
S20	5	S19 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 12:36
S21	24	S19 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 13:04
S22	273	S1 and ((search\$3 or quer\$3) with (assemble\$3 or execute\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 13:04
S23	50	S22 and @ad<"20010327"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 13:05
S24	35	S23 and ((control\$4 with class or instance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 13:07

S25	17	S24 and (construct\$4 with quer\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 13:10
S26	1	S24 and (construct\$4 near quer\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 13:08